



NOTES
 WATER RECYCLING AND ADDITIVES STORAGE
 STORAGE OF POTENTIAL CONTAMINANTS AS PER

AS 1940
 AS 2022
 AS 2714
 AS 3780
 AS 3833
 AS 4081
 AS 4326
 AS 4452
 STORAGE AREA TO BE PROVIDED IN IMPERVIOUS
 BUNDED AREA OR COMPOUND TO CONTAIN ANY
 LEAKAGE OR SPILLAGE. THE CAPACITY OF THE
 COMPOUND SHALL BE AT LEAST THE CAPACITY
 OF THE LARGEST TANK OR PACKAGE IN THE
 COMPOUND.
WASHOUT BAYS
 WASHDOWN WATERS MUST EITHER BE DIRECTED
 TO THE SEWERAGE SYSTEM OR COLLECTED FOR
 RECYCLING OR DISPOSAL BY LICENSED WASTE
 REMOVALIST.

This drawing has been prepared by Osborn Lane Consulting Engineers and must not be modified. Use of this information for any other purpose without the written consent of the copyright owner is prohibited. This drawing is the property of Osborn Lane Consulting Engineers. The contractor shall obtain and use the latest revision of all drawings.



NOTES:-
 1. Contractor to verify all information & dimensions on site prior to commencement of construction.
 2. DO NOT SCALE DRAWING
 3. This drawing and the copyright thereof remains the property of Osborn Lane Consulting Engineers
 A.B.N. 5132296754

REVISION	DATE	BY	DESCRIPTION
A	9/2007	A	AMEND FRONT CARPARK SETBACK
B	27/2/08	B	ORIGINAL ISSUE FOR COUNCIL

OSBORN LANE CONSULTING ENGINEERS
 Head Office: 1434 Pacific Street, Mt Pleasant QLD 4060
 Phone: 07 4660 3300 Fax: 07 4660 3310
 Level 1: 93 Ridgeview Road, Aratula QLD 4870
 Phone: 07 3870 9439 Fax: 07 3870 9455

CONCRETE BATCHING PLANT
 SAWMILL ROAD, ARATULA
 CLAUDE RUSSELL

SITE PLAN	
drawn: MA	date: SEPT 2007
checked: P Osborn	RFID: 1637
scale: 1:200	rev: B
Sheet	IP07-0007 / SK1